

Motorenöle

Motor oils

Getriebeöle

Gear oils

**Zweitaktöle und
Traktorenöle**

*Two-stroke oils and
tractor oils*

Hydrauliköle

Hydraulic oils

**Industrie- und
Spezialschmierstoffe**

*Industrial and
specialty lubricants*

PENNASOL REGULAR SAE 50

PENNASOL REGULAR are uncompounded oils, produced from carefully selected pure mineral raffinates. They are oxidation-stable, non-foaming and show excellent viscosity-temperature behaviour. Due to the low pour point, these oils can be used at very low temperatures and guarantee proper lubrication.

ACEA-/API-specifications:

API SA (obsolete)

			PENNASOL REGULAR	
Parameter	Unit	Testing method	SAE 50	
Density 15°C	kg/m ³	DIN EN ISO 12185	887	
Flash point COC	°C	DIN ISO 2592	> 240	
Pour point	°C	DIN ISO 3016	- 21	
Viscosity 40°C	mm ² /s	DIN 51562-1	197	
Viscosity 100°C	mm ² /s	DIN 51562-1	18.0	
VI		DIN ISO 2909	100	

01/2017

Version 4

The given data are typical data. Please observe operating prescriptions.

Available packaging:

	Bulk	965 Liter	202 Liter	60 Liter	20 Liter	4 * 5 Liter	12 * 1 Liter	Notes:
PENNASOL REGULAR SAE 50	•	•	•	•	•			

1

¹ This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AVISTA OIL Group or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale.