

Motorenöle

Motor oils

Getriebeöle

Gear oils

**Zweitaktöle und
Traktorenöle**

*Two-stroke oils and
tractor oils*

Hydrauliköle

Hydraulic oils

**Industrie- und
Spezialschmierstoffe**

*Industrial and
specialty lubricants*

PENNASOL SUPER LIGHT SAE 10W-60

PENNASOL SUPER LIGHT SAE 10W-60 is a highly compounded motor oil which by the choice of additives, the base oils and the viscosity grade provides fuel economy operation of the engines. To maintain the low viscosity of the SAE 10 W-class as well as a low volatility **PENNASOL SUPER LIGHT SAE 10W-60** contains HC-synthetic base oils (group III) which meet the high-tech requirements.

PENNASOL SUPER LIGHT SAE 10W-60 is perfectly suited for all year operation in modern passenger gasoline and diesel engines (no sludge formation, excellent results in the sludge test). Excellent engine cleanliness is guaranteed, likewise for turbocharged engines as well as cars with a catalyst.

Meets/suitable for use:

ACEA A3/B4

API SN

API CF (obsolete)

			PENNASOL SUPER LIGHT
Parameter	Unit	Testing method	SAE 10W-60
Density 15°C	kg/m ³	DIN EN ISO 12185	858
Flash point COC	°C	DIN ISO 2592	min. 200
Pour point	°C	DIN ISO 3016	-39
Viscosity 40°C	mm ² /s	DIN 51562-1	175
Viscosity 100°C	mm ² /s	DIN 51562-1	24.4
VI		DIN ISO 2909	171

01/2017

Version 3

The given data are typical data. Please observe operating prescriptions.

Motorenöle

Motor oils

Getriebeöle

Gear oils

**Zweitaktöle und
Traktorenöle**

*Two-stroke oils and
tractor oils*

Hydrauliköle

Hydraulic oils

**Industrie- und
Spezialschmierstoffe**

*Industrial and
specialty lubricants*

Available packaging:

	Bulk	965 Liter	208 Liter	60 Liter	20 Liter	4 * 5 Liter	12 * 1 Liter	Bemerkung:
PENNASOL SUPER LIGHT SAE 10W-60	•	•	•	•	•			Minimum quantity per order 2.000 L

1

¹ This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AVISTA OIL Group or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale.