



Motorenöle

Motor oils

Getriebeöle

Gear oils

**Zweitaktöle und
Traktorenöle**

*Two-stroke oils and
tractor oils*

Hydrauliköle

Hydraulic oils

**Industrie- und
Spezialschmierstoffe**

*Industrial and
specialty lubricants*

PENNASOL MID SAPS SPECIAL C4 SAE 5W-30

PENNASOL MID SAPS SPECIAL C4 SAE 5W-30 is a high-quality, fuel-efficient motor oil based on HC-synthesis-technology. Designed for the specific high-performance engines, especially developed by Renault (RN0720) and those who require ACEA C4.

PENNASOL MID SAPS SPECIAL C4 SAE 5W-30 is based on a balanced low-ash formulation and significantly reduces the oil-related residues in the diesel particulate filter. With this product, oil change intervals of up to 30,000 km could be achieved, taking into account the operating instructions.

Other advantages:

- „Low SAPS“-Technology (less sulphate ash, phosphorous and sulphur contents)
- Excellent wear protection
- Significant reduction of deposits
- Lubricating film stability even at high operating temperatures
- Extended life of diesel particulate filters

ACEA/API-specifications:

ACEA C4

Meets/suitable for use:

Renault RN0720

MB 229.51

MB 229.31

MB 226.51

Motorenöle

Motor oils

Getriebeöle

Gear oils

**Zweitaktöle und
Traktorenöle**

*Two-stroke oils and
tractor oils*

Hydrauliköle

Hydraulic oils

**Industrie- und
Spezialschmierstoffe**

*Industrial and
specialty lubricants*

			PENNASOL MID SAPS SPECIAL C4
Parameter	Unit	Testing method	SAE 5W-30
Density 15°C	kg/m ³	DIN EN ISO 12185	850
Flash point COC	°C	DIN ISO 2592	min. 210
Pour point	°C	DIN ISO 3016	-39
Viscosity 40°C	mm ² /s	DIN 51562-1	71.8
Viscosity 100°C	mm ² /s	DIN 51562-1	12.3
VI		DIN ISO 2909	171

01/2017

Version 3

The given data are typical data. Please observe operating prescriptions.

Available packaging:

	Bulk	965 Liter	208 Liter	60 Liter	20 Liter	4 * 5 Liter	12 * 1 Liter	Notes:
PENNASOL MID SAPS SPECIAL C4 SAE 5W-30	•	•	•	•	•	•	•	

1

¹ This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AVISTA OIL Group or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale.